

H Wada, J Suzuki... - International Journal of Web Services ..., 2008 - CiteSeer

... implementation details of services and connections (eg, programming languages and remoting middleware) from application ... <<filter>> Customizes the semantics of message transmission and message processing in a connector. ... 《enumeration》 **Synchrony Sync Async Oneway ...**

Cited by 7 - Related articles - View as HTML - All 13 versions

System, apparatus, and method for a mobile information server

J Mononen, P Nykanen, S Pohja... - US Patent App. 10/ ..., 2003 - Google Patents

... [0038] A multicasting agent, IP Multicasting ... RTP/RTCP 230 also offers synchronization of data streams it carries by including a sequence number ... Service Discovery Protocol (SDP) and Radio Frequency Communication (RFCOMM) protocol represent middleware protocols of ...

All 4 versions

Method, apparatus and system for hosting a group of terminals

M Torvinen - US Patent 7,352,997, 2008 - Google Patents

... Eaton et al 713/2017,039,033 B2* 5/2006 2003/0027525 AI * 2/2003 2003/0154398 AI * 8/2003 *

cited by examiner Primary Examiner—Sanh D. Phu (74) Attorney, Agent, or Firm ... 6 **CONTENT**

SERVER FETCH PAGE 600 PARTICIPATING TERMINAL HOSTING TERMINAL FIG. ...

Cited by 1 - Related articles - All 4 versions

[PDF] A QoS Content Adaptation Framework for Nomadic Users

[\[PDF\]](#) from psu.edu

KM El-Khatib - 2005 - CiteSeer

... MobiInTel is an agent-based middleware that uses the ... K. El-Khatib and Gv Bochmann, "Agent Support for Context-Aware Services and Personal Mobility, MATA 2003, Page 16, 16 ... covers the synchronization between time-dependent objects such as audio streams and ...

Cited by 1 - Related articles - View as HTML - Library Search - All 8 versions

[PDF] Enabling Innovation Below the Communication API

[\[PDF\]](#) from berkeley.edu

G Ananthanarayanan, K Heimerl, M Zaharia... - 2009 - eecs.berkeley.edu

... a mobile phone might decide to fetch feeds over the cellular interface, but synchronize any attached ... servers also need access to cookies and HTTP headers, like the user agent, when they ... may install a global filter, without having to configure each application to use the filter. ...

Related articles - View as HTML - All 2 versions

Service/device indication with graphical interface

M Aholainen... - EP Patent 2,234,373, 2010 - freepatentsonline.com

... Attorney, Agent or Firm: Derry, Paul Stefan (Venner Shipley LLP 20 Little Britain, London EC1A 7DH ... in the class-of-device (CoD) field of a frequency hop synchronization (FHS) packet ... The memory 202 also includes the Bluetooth middleware protocol group 224 that includes the ...

Cached

APIs and Application Platforms for Next - Generation Mobile Networks

R Jain... - Wiley Online Library

... Its principal new component is the soft switch, or call agent. A soft switch is the “brains” behind the convergence in the converged network. ... Tool Client Applications Distributed Computing

Middleware Distributed Computing Middleware Parlay Framework

[PDF] from berkeley.edu

IPDF1 A New Communications AP

G Ananthanarayanan, K Heimerl, M Zaharia... - 2009 - eecs.berkeley.edu

... phone might decide to fetch feeds over the cellular interface, but synchronize any attached ... URLs. Web servers also use cookies and HTTP headers like the user agent when they ... take advantage of novel approaches for determining the nearest content server without application ...

Related articles - View as HTML - All 3 versions

[PDF] A new Content Distribution Network architecture-PlentyCast

[PDF] from kth.se

CW Qiu, GQ Maguire Jr. - 2004 - it kth s

... Correction techniques. A compact introduction of Mobile Agent technology will be conducted in chapter four. After ... the users. Here, a client first sends a request to a content server via an application layer protocol such as HTTP [38]. After ...

Cited by 1 - Related articles - View as HTML

System and method for asynchronous client server session communication

QSM Van Den ... - US Patent App. 20030041147 - 2001 - freepatentsonline.com

... Attorney, Agent or Firm: FRIESLER DUBB MEYER & LOVEJOY, LLP (FOUR EMBARCADERO implementations of client operating systems, server database systems and middleware protocols connecting the ... system (and its Win32 APIs) to further optimize synchronization of user ...

Cache

Service/device indication with graphical interface

M Aholainen - US Patent 7 589 726 2009 - Google Patents

... No. 10/504,410, filed Aug. 13, 2004, Hamberg. (Continued) Primary Examiner—Ryan R Yang
(74) Attorney, Agent, or Firm ... No. 10/954,197, filed Oct. 1, 2004, Malinen et al. Former, "A
Multi-Agent Referral System for Matchmaking," Mill Media Lab, Apr. 22, 1998, pp. 245-261

Related articles - All 6 versions

[PPE] Ambient Computing and Embedded Systems

[PDF] from psu.edu

RB Atlantique - Citeseau

... is quite small. Another example is Web browsing; a mobile device might decide to filter applets and images from downloaded pages in order to reduce the device CPU time needed to process the page. Data adaptability requires

[View as HTML](#) - All 4 versions

Teamware: An evaluation of key technologies and open problems

D. Georgakopoulos - Distributed and Parallel Databases, 2004 - Springer

... weapons a supervisor may need to form teams to gather field samples, perform lab tests and determine the presence of an agent, and identify the ... Sync. ... An engine synchronizing the (possibly concurrent) actions of team members is the core of such a groupware tool.

Cited by 11 - Related articles - [BI Direct](#) - All 4 versions

Middleware (COMSWARE 2006 ... a web page due to the crash of a 'content distribution' agent node ...

employed at network infrastructure level to provide a service (eg, 'sync' message exchanges ...

[Related articles](#) - All 3 versions

[\[book\] Resource discovery and Security in Distributed systems](#)

[\[PDF\] from psu.edu](#)

L Larsen - 2007 - Citeseer

... In this paper I have gone through the basic theory of network topology, protocols and security and explained "search engine", "Middleware", "Distributed Hash Table" and the JXTA protocol. ...

We can use **middleware** to translate the information on the network. ...

[View as HTML](#) - All 3 versions

[\[book\] Practical WAP: developing applications for the wireless web](#)

C Bennett - 2001 - books.google.com

... Aware Networks and Devices 324 FUTURE COMPETING TECHNOLOGY 324 J2ME 325 I-Mode

326 IP over Mobile Networks 327 FUTURE APPLICATIONS 327 Entertainment 328 Location

Aware 328 Push 329 M-Commerce 329 Mobile **Middleware** 330 CONCLUSION 331 ...

[Cited by 9](#) - [Related articles](#) - [Library Search](#) - All 2 versions

[\[book\] Microsoft Content Management Server Field Guide](#)

FP Briand - 2005 - books.google.com

... Areas of interest include **middleware** technologies, enterprise-wide systems, database technologies, application development, server ... **Content server**: The core MCMS engine. ... CHAPTER 1s CONFIGURING THE PLATFORM 6 • ISAPI filter and security service: Serves HTTP ...

[Library Search](#)

[\[PDF\] Web page performance analysis](#)

[\[PDF\] from gla.ac.uk](#)

TK Chiew - 2009 - theses.gla.ac.uk

... Appendices 208 1 Notations of Times 209 2 Parsing of HTTP Requests and Responses by the Muffin Proxy Server 210 3 Response Time Measurement Filter for Muffin Proxy Server: The Source Code 212 4 Response Time and Responsiveness Monitor: The Source Code 214 ...

[Related articles](#) - [View as HTML](#) - All 2 versions

METHODS AND SYSTEMS FOR AUTOMATIC CONTENT RETRIEVAL AND ORGANIZATION

EK Chow - US Patent 20,100,313,250, 2010 - freepatentsonline.com

... Attorney, Agent or Firm: TOWNSEND AND TOWNSEND AND CREW, LLP (TWO EMBARCADERO CENTER, EIGHTH ... The user therefore may be able to select and filter content based on his ... to

implement this functionality may include use of a messaging **middleware** such as ...

[Cached](#)

[\[book\] .NET mobile web developer's guide](#)

S Milroy - 2002 - books.google.com

... Amit currently resides in Wixom, MI with his wife Priti. Steve Milroy is a Mobile/Wireless Technologist and is currently with a nationwide e-solutions company, Immediant. He is working on a number of WAP, VoiceXML, and wireless **middleware** projects. ...

[Cited by 1](#) - [Related articles](#) - [Library Search](#) - All 3 versions

[\[book\] SAP NetWeaver](#)

[\[PDF\] from computershopping.ch](#)

L Heilig... - 2005 - computershopping.ch

... 395 12.2.1 Rich Product Content Management (RPCM) .. 396 12.2.2 Global Data

Synchronization (GDS) 427 13.5.5 Conversion Agent 428 13.5.6 Partner

Connectivity Kit 448 14.2.3 SAP Content Server

Cited by 3 - Related articles - View as HTML - Library Search - All 6 versions

[\[PDF\] Personalized Guide on the Web](#)

[\[PDF\] from uni-freiburg.de](#)

R Zhou - freidok.uni-freiburg.de

... Der Content Server beinhaltet eine Datenbank mit Inhalten, auf der räumliche

und nicht-räumliche Suchanfragen durchgeführt werden können und ermöglicht

inhaltsbezogene Web-Dienste. ... 71 5.4 Content filter

Related articles - View as HTML

[DELTACASTING FOR LIVE CONTENT](#)

WB Sebastian - US Patent 20,100,281,105, 2010 - freepatentsonline.com

... Attorney, Agent or Firm: TOWNSEND AND TOWNSEND AND CREW LLP;VIASAT, INC. ... As such,

another request for the same VOD movie, even from the same content server, may have ... For

example, the MAC module 450 may modulate, encode, filter, decrypt, and/or otherwise ...

Cached

[\[PDF\] International Cooperation Activities in Future and Emerging ICTs](#)

[\[PDF\] from lmu.de](#)

M Hölzl... - pst.ifl.lmu.de

... Coordination of different nodes or interacting systems is often programmed in coordination or orchestration languages, which are essentially programming languages augmented with some features for programming compositions and possibly integrated into a middleware. ...

Related articles - View as HTML - All 2 versions

[\[PDF\] Secure Push in Wireless Environments](#)

[\[PDF\] from psu.edu](#)

J Heikkinen - 2007 - Citeseer

... 81 8.12 Throughput, all transports, both the fixed and the wireless environment 82 9.1

Response times, the TLS-SIP user agent client, the wireless environment 87 9.2 Response

times, the DTLS-SIP user agent client, the wireless environment

Related articles - View as HTML - All 7 versions

[\[book\] Heterogeneous Wireless Access Networks: Architectures and Protocols](#)

E Hossain - 2008 - books.google.com

... Estimation of interference at the primary receivers, dynamic adaptation of transmission parameters, and synchronization between a secondary transmitter and a ... The proxy-based approach relies on a proxy agent which makes the wireless random losses transparent to TCP. ...

Cited by 4 - Related articles - Library Search - All 2 versions

[Advertising Platform Transaction Management](#)

M Nolet, CB O'kelley... - US Patent App. 20,100/..., 2010 - freepatentsonline.com

... Attorney, Agent or Firm: OCCHIUTI ROHLICEK & TSAO, LLP (10 FAWCETT STREET,

CAMBRIDGE, MA ... to enable members of the impression trading industry to synchronize their user ...

occurs when multiple impression seller members attempt to simultaneously sync their user ...

Cached

[book] Wireless sensor networks: technology, protocols, and applications

K Sohraby, D Minoli... - 2007 - books.google.com

... 168 5.5.3 Schedule Selection and Coordination, 169 5.5.4 Schedule Synchronization, 170 5.5 ...

network protocols for wired and wireless communications, sensor networks, network security,

agent-based technology with collaborative environments, and middleware. ...

Cited by 108 - Related articles - Library Search - All 6 versions

[book] IPTV security: protecting high-value digital contents

D Ramirez - 2008 - books.google.com

... Protocol 143 5.3.6.3 MPEG-2 Video Stream 143 5.3.6.4 MPEG-4 Video Stream 144 5.3.6.5

DSM-CC 144 5.3.6.6 RTSP 145 5.4 IPTV Subscriber – Home End 145 5.4.1 Set Top Box 145

5.4.2 STB Executing Software 147 5.4.2.1 DRM Software 147 5.4.2.2 Middleware Client SW ...

Cited by 9 - Related articles - Library Search - All 4 versions

Optimization strategies for QoS-sensitive VOD service delivery in cooperative environments

[PDF] from illinois.edu

WJ Jeon - 2007 - ideals.illinois.edu

... 20 2.4 Middleware architecture of a cache manager and peer clients ... peers regarding a peer membership and state information change. Instead, peers synchronize such ... With the development of distributed computing such as the remote method invocation and mobile agent[39] ...

Related articles - All 6 versions

GENERATING CUSTOMIZED MARKETING MESSAGES FOR A CUSTOMER USING DYNAMIC CUSTOMER BEHAVIOR

DATA

RL Angell... - US Patent App. 20,080/249,859, 2007 - freepatentsonline.com

... Attorney, Agent or Firm: Duke, Yee W. (YEE AND ASSOCIATES, PC, PO BOX 802333, DALLAS,

TX, 75380, US), Claims: What is claimed is: 1. A computer implemented method for customizing

digital media marketing messages using customer behavior data, the computer ...

Cached

[PDF] XMPP-based Media Sharing for Mobile Collaboration with Android Phones

[PDF] from tu-dresden.de

B Söllner - 2009 - rn.inf.tu-dresden.de

... lists). Beyond, XMPP recently evolved into a protocol used in the realm of message

oriented middleware [Joh05]. Thus, it can be used in much broader domains, eg shared

editing or collaborative drawing - and file transfer. XMPP ...

Related articles - View as HTML - All 2 versions

[PDF] State-of-the-art report on applicable tools and technologies and market survey

[PDF] from victory-eu.org

A Sanna, F Lamberti, G Paravati, L Ciminiere... - Technology - victory-eu.org

... 28 Figure 3: P2P with discovery server. 29 Figure 4: P2P with a Discovery, Lookup, and

Content Server. 31 Figure 5: P2P network with super-peers.

Related articles - View as HTML

[\[PDF\] from ucl.ac.uk](#)

[\[PDF\] of Deliverable: The Status of Basic Relays and Gateways](#)

KE Nielsen - 2001 - cs.ucl.ac.uk

... application grows. In some cases, an application-level security **middleware** is defined;

While situated at the application level, it has Application Level Interfaces (APIs), which

are designed to be used by different applications. Link ...

Related articles - View as HTML

ADVERTISING PLATFORM USER DATA STORE MANAGEMENT

M Nolet, CB O'kelley, AS Dilling... - US Patent App. 12/ ... , 2010 - Google Patents

Page 1. (i9) United States (12) Patent Application Publication Nolet et al. US

20100268603A1 (i0) Pub. No.: US 2010/0268603 A1 (43) Pub. Date: Oct. 21, 2010

(54) ADVERTISING PLATFORM USER DATA STORE MANAGEMENT ...

GENERATING CUSTOMIZED MARKETING MESSAGES FOR A CUSTOMER USING DYNAMIC CUSTOMER BEHAVIOR

DATA

RL Angell... - US Patent App. 11/771,252, 2007 - Google Patents

... MODELS PSYCHOGRAPHIC DATA EXTERNAL DATA GRANULAR DEMOGRAPHICS DERIVED

MARKETING MESSAGES DYNAMIC MARKETING MESSAGE ASSEMBLY /CUSTOMIZED/1

MARKETING) 630 -^IMMESSAGE CONTENT SERVER MODULAR MARKETING ...

[\[book\] Towards a global 3G system: advanced mobile communications in Europe](#)

R Prasad - 2001 - books.google.com

... 118 Chapter 4 Enabling Technologies 123 4.1 Introduction 123 4.2 Flexible Integrated Radio

Systems Technology— The Project FIRST 124 4.3 High-Temperature Superconductivity in Mobile

Base Stations—The Project SUCOMS/CoolTalk 132 4.3.1 Filter Development 136 4.3 ...

Cited by 5 - Related articles - Library Search - All 4 versions

[\[PDF\] from ufses.br](#)

[\[PDF\] A Comprehensive Environment for Collaborative Web Browsing—Pragmatic Specification and Development Approach](#)

R de Oliveira Santos - inf.ufes.br

... development process. 3. Design an architecture capable of maintaining a high **synchronization**

perception for ... Places distributed interactions distributed interactions The time dimension

regards the **synchronization** of users' interactions. When users are ...

Related articles - View as HTML - All 3 versions

[\[PDF\] from psirp.org](#)

[\[PDF\] of Contract Publish-Subscribe Internet Routing Paradigm](#)

M Ain, S Tarkoma, D Trossen, P Nikander... - 2008 - psirp.org

... Many parts of our architectural vision have their counterparts in contemporary fields of research.

Figure 3.2 illustrates how work on the Semantic Web [Ber2001] or policy runtimes, as well as

in agent technology, fits into the architectural implementation of our vision. ...

Related articles - View as HTML - All 4 versions

[\[PDF\] from tcd.ie](#)

Using Distributed Technology for Teaching Distributed Systems

DW Thornton - 1999 - tara.tcd.ie

... 19.2.6.2 Streamed Media Servers..... 20.2.7 **Middleware** Applications Internet will act as the binding agent and students will access the educational environment using a web browser. ...

[\[book\] Wireless sensor networks](#)

[\[PDF\] from kexue.com.cn](#)

K Sohraby, D Minoli... - 2007 - kexue.com.cn

... 168.5.5.3 Schedule Selection and Coordination, 169.5.5.4 Schedule **Synchronization**, 170.5.5 ... network protocols for wired and wireless communications, sensor networks, network security, agent-based technology with collaborative environments, and **middleware**. ...

[Cited by 13 - Related articles - View as HTML](#) - All 18 versions

[Frameworks for Multimedia Standardization](#)

DA Milovanovic - Wiley Online Library

... Society. We continue with ETSI standardization process for application, **middleware**, and networks. We ... recommendations. The end user interfaces will be extended to incorporate the performance of **middleware** into the GI. The ...

[Related articles - All 2 versions](#)

[\[PDF\] Second International Workshop on Adaptation and Evolution in Web Systems Engineering \(AEWSE'07\)](#)

[\[PDF\] from polimi.it](#)

J Gomez, N Koch, G Rossi, S Dusdhar... - ICWE 2007 ..., 2007 - dei.polimi.it

... 58 Rubén Mondéjar, Pedro García Lopez, Carles Pairot and Antonio F. Gómez Skarmeta. Adaptive Peer-to-Peer Web Clustering using Distributed Aspect **Middleware** (Damon)... ...

[Related articles - View as HTML](#)

[FACILITATING TRANSFER OF PUSH AND PULL MESSAGES FOR REMOTELY TESTING MOBILE DEVICES](#)

R Huq... - US Patent App. 20,090/207,743, 2008 - freepatentsonline.com

... 20090103499, BEACON AND MOBILE TERMINAL **SYNCHRONIZATION** AND METHOD

THEREOF, April, 2009, ... Attorney, Agent or Firm: QUALCOMM INCORPORATED (5775

MOREHOUSE DR., SAN DIEGO ... of claim 11, further comprising an application filter module ...

[Cached](#)

[Signage](#)

GM Gelman... - US Patent App. 20,100/118,200, 2009 - freepatentsonline.com

... Attorney, Agent or Firm: Geoffrey, Gelman (14 Berkeley Pl, Brooklyn, NY, 11217, US). Claims:

Applicants claim ... contact; apply a noise filter to the first trajectory, and apply a blurring filter to the ...

The screen driver may provide a go-between or **middleware**, that allows eg, the CPU to ...

[Cached](#)

[\[book\] Föderative Unternehmensprozesse: Technologien, Standards und Perspektiven für vernetzte Systeme](#)

J Wagner... - 2004 - books.google.com

... Denn bei der Mächtigkeit von Basisprodukten, **Middleware** und Frameworks macht es heute kaum Sinn, über Architekturen zu schreiben, ohne dabei die Produkte zu nennen, welche diese unterfüttern, und ja selbst die Architekturen vorgeben. ...

[Related articles - Library Search](#) - All 3 versions

A taxonomy and analysis of web wrapping technologies

[\[PDF\] from mit.edu](#)

SE Madnick, JR Williams... - 2004 - dspace.mit.edu

... 3.1.21 Database Driver 23 3.2 The 2nd-Tier Taxonomy 23 CHAPTER 4 ANALYSIS OF WEB WRAPPING TOOLKITS 25 4.1 Agent Builder 25 4.2 cameleon 25 4.3 ContentMaster 27 4.4 DB2 Information Integrator for Content 28 4.5 Integration Platform 30 4.6 Mine the Web 31 4.7 ...

[Related articles](#)

[PDF] Adaptive Scheduling Algorithm Selection in a Streaming Query System

[\[PDF\] from wpi.edu](#)

B Pielech - 2004 - wpi.edu

... data. The middleware application would have little control over query execution ... running the filter operators on a single processor sharing CPU power and memory. When ... The Tukwila project [9] proposed the use of synchronization packets to "tell" each ...

[Related articles](#) - [View as HTML](#) - [Library Search](#) - [All 3 versions](#)

Detectoren, representeren en uitbuiten van de mogelijkheden van het apparaat van de eind-gebruiker

[\[PDF\] from uhasselt.be](#)

T CREEMERS - 2009 - docdb.uhasselt.be

Page 1. Auteursrechterlijke overeenkomst Opdat de Universiteit Hasselt uw eindverhandeling wereldwijd kan reproduceren, vertalen en distribueren is uw akkoord voor deze overeenkomst noodzakelijk. Gelieve de tijd te nemen ...

[Related articles](#)

[PDF] Arquitectura SIP IPTV para Redes Heterogéneas

[\[PDF\] from utl.pt](#)

ER de Comunicações - 2009 - dspace.ist.utl.pt

Page 1. Arquitectura SIP IPTV para Redes Heterogéneas Arquitectura de Cliente João Ricardo Dias Domingues Dissertação para obtenção do Grau de Mestre em Engenharia de Redes de Comunicações Júri Presidente: Professor Doutor Rui Jorge Moraes Tomaz Valadas ...

[Related articles](#) - [View as HTML](#)

 [Create email alert](#)

Did you mean to search for: [\(middleware or agent\) and synchronize and filter and "content server"](#)

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2011 Google